

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

SECTION I - MANUFACTURER AND PRODUCT INFORMATION

PRC-DeSoto International, Inc.
A PPG Industries Company
5430 San Fernando Road
P.O. Box 1800
Glendale, CA 91209

Information Phone: (818) 240-2060
Emergency Phone: (800) 228-5635
Outside of USA: +(651) 632-9265
CHEMTREC: (800) 424-9300

Trade Name: PRC 449 FM, Part A
Accelerator component

Product Code: FM5553
Form ID No: XXX
Product Class: Manganese dioxide dispersion
Synonyms:

HMIS HAZARD RATING
HEALTH - 2
FLAMMABILITY - 1
REACTIVITY - 0
PPE - G
None(0)--->Extreme(4)

SECTION II - COMPOSITION

INGREDIENTS INFORMATION

CAS NUMBER	Wt %	CHEMICAL IDENTITY
001313-13-9	10 - 30	Manganese Dioxide
007439-96-5	10 - 30	Manganese Compound
061788-76-9	10 - 30	Chlorinated Paraffin
068515-47-9	10 - 30	1,2-Benzenedicarboxylic Acid, Di-C11-14 Branched Alk
001314-13-2	< 5	Zinc Oxide
001333-86-4	< 5	Carbon Black
001344-28-1	< 5	Aluminum Oxide
014808-60-7	< 5	Crystalline Silica Quartz
001309-37-1	< 5	Red Iron Oxide

EXPOSURE LIMITS

CAS NUMBER	EXPOSURE LIMITS (ppm)				
	ACGIH TLVs		OSHA PELs		
	TWA	STEL	TWA	STEL	
001313-13-9	0.2 mg/m3	N/E	5	N/E	S
007439-96-5	0.2 mg/m3	N/E	5 mg/m3	N/E	S
061788-76-9	N/E	N/E	N/E	N/E	
068515-47-9	5 mg/m3	N/E	5 mg/m3	N/E	R
001314-13-2	10 mg/m3	N/E	10 mg/m3	N/E	S
001333-86-4	3.5 mg/m3	N/E	3.5 mg/m3	N/E	S
001344-28-1					

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

10 mg/m3 N/E 10 mg/m3 N/E S
014808-60-7 0.1 mg/m3 N/E 0.1 mg/m3 N/E S
001309-37-1 5 mg/m3 N/E 10 mg/m3 N/E S

Footnotes

(S) Occupational Exposure Standard
(R) Supplier's Recommended Limit

N/Av = Not Available N/Ap = Not Applicable
N.E. = Not Established NotknownXXX = CAS Number is not known.

SECTION III - HAZARDS IDENTIFICATION

Permissible Exposure Limits for Product:
Not established for product. See Section II.

ROUTE OF ENTRY AND EFFECTS OF OVEREXPOSURE

ROUTE OF ENTRY:

Inhalation and dermal.

INHALATION:

Vapor or fume will irritate the nose and throat.

EYE CONTACT:

Vapor or fume can irritate the eyes.

SKIN CONTACT:

Substance can cause moderate irritation.

INGESTION:

Ingestion can cause irritation of gastro-intestinal tract.

Contains an ingredient listed as known or suspected carcinogen?

NTP: No OSHA: No IARC: Yes

SECTION IV - FIRST AID MEASURES

INHALATION:

If inhaled, remove from area to fresh air. If not breathing, give artificial respiration. Get immediate medical attention. If breathing is difficult, transport to medical facility and, if available, give supplemental oxygen.

EYE CONTACT:

For eye contact, immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to ensure rinsing of the

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

entire eye surface and lids with water. Get immediate medical attention.

SKIN CONTACT:

For skin contact, wipe excess material with dry towel. Then wash exposed areas with plenty of water, and soap if available, for several minutes. Get medical attention if irritation occurs.

INGESTION:

If swallowed dilute by giving two(2) glasses of water to drink. Get immediate medical attention. Never give anything by mouth to an unconscious person.

GENERAL:

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

SECTION V - FIRE AND EXPLOSION HAZARD IDENTIFICATION

FLASHPOINT: 210 F 98.88 C Method: Setaflash
LEL (%): N/Av UEL (%): N/Av

FLAMMABILITY CLASSIFICATION:

Not flammable.

FIRE AND EXPLOSION HAZARDS:

Excessive heat may cause decomposition of manganese dioxide resulting in oxidation and possible ignition of any hydrocarbon vehicle.

EXTINGUISHING MEDIA:

Carbon dioxide, dry chemical, foam, water fog.

FIRE FIGHTING PROCEDURES:

Use complete personal protection. Use water to cool heat exposed containers.

SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Cover with absorbent material if necessary. Scoop into containers. Clean up residue with a suitable cleaning solvent. Wear appropriate personal protective equipment (See Section VIII).

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep container tightly closed. Store in a dry location. Wear proper personal protective equipment (See Section VIII). Wash thoroughly after handling and before smoking or eating.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Good general mechanical ventilation.

RESPIRATORY PROTECTION:

Not normally required.

EYE PROTECTION:

Safety glasses.

SKIN PROTECTION:

Chemically resistant gloves.

GENERAL:

Safety shower, eye wash station and washing facilities should be available. When using in circumstances where skin contact is likely, use complete protective garments.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black
Physical State:	Paste
Low Boiling Point:	N/Av
High Boiling Point:	N/Av
Evaporation Rate:	Non-volatile
Vapor Density:	Heavier than air
% Volatiles by Volume:	0
Specific Gravity:	1.87
Liquid Density:	Heavier than water
Weight Per Gallon:	15.58
VOC (GR/L):	N/App
VOC (GR/L, Combined):	N/App

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

SECTION X - STABILITY AND REACTIVITY

STABILITY:

Stable.

HAZARDOUS POLYMERIZATION:

Will not occur.

INCOMPATIBILITY:

Easily oxidizable materials.

CONDITIONS TO AVOID:

See incompatibilities above.

HAZARDOUS DECOMPOSITION PRODUCTS:

Oxides of carbon and nitrogen, manganese compounds.

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE ORAL, DERMAL AND INHALATION EFFECTS (LD50 AND LC50):

CAS NUMBER	LD50	LC50
001313-13-9	14900 mg/kg,oral, rat	N/AV.
007439-96-5	N/AV.	N/AV.
061788-76-9	>4000 mg/Kg,oral, rat	N/AV.
068515-47-9	5000 mg/kg,oral, rat	N/AV.
001314-13-2	7950 mg/kg,oral, rat	N/AV.
001333-86-4	440 mg/kg,oral, rat	6750 mg/m3, rat, 4hr.
001344-28-1	14900 mg.kg,oral, rat	N/AV.
014808-60-7	5000 mg/kg,oral, rat	N/AV.
001309-37-1	N/AV.	N/AV.

Carcinogenicity:

Carbon Black:

Based on an IARC conclusion that there is "sufficient evidence in experimental animals for the carcinogenicity of carbon black" and inadequate evidence of carcinogenicity in humans. IARC's overall evaluation is that "carbon black is possibly carcinogenic to humans" (Group 2B).

Carbon black has not been listed as a carcinogen by National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety & Health (NIOSH) criteria document on carbon black

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

recommends that only carbon blacks with PAH levels greater than 0.1% be considered suspect carcinogens.

Crystalline Silica (Quartz):

Crystalline silica dust in its neat form is on the IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans (Volume 42, 1987) concludes that there is sufficient evidence for the carcinogenicity of crystalline silica to experimental animals, and there is limited evidence of the carcinogenicity of crystalline silica to humans. IARC Class 2A.

NOTICE:

There are no data available on the product itself.

SECTION XII - ECOLOGICAL INFORMATION

NOTICE:

There are no data available on the product itself.

SECTION XIII - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

When disposing of this material, ensure that it is packaged, stored, transported, and otherwise handled in accordance with local, state, and federal regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT (Non-Bulk):

PROPER SHIPPING NAME: Not regulated
HAZARD CLASS: Not Applicable
UN NUMBER: Not Available

SPECIAL NOTES:

None

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

SECTION XV - REGULATORY INFORMATION

TSCA Section 8(b) - Inventory Status:

All ingredients in this product are listed in the TSCA Inventory or are exempt from listing.

CANADIAN EPA - DSL Inventory Status:

The DSL status of this product is unknown at this time.

SARA Title III Section 313 - Toxic Chemical List (TCL):

This product contains a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372). This information must be included in all MSDS's copied or distributed for this product.

001313-13-9	Manganese Dioxide
001314-13-2	Zinc Oxide
001344-28-1	Aluminum Oxide
007439-96-5	Manganese Compound

SARA Title III Section 302 - CERCLA:

This product contains no chemical regulated under Section 302 as extremely hazardous chemicals for emergency release notification (CERCLA List).

CALIFORNIA PROPOSITION 65 - Reportable ingredients:

Chemicals known by the state of CA to cause cancer:

This product contains the following chemical which is known to the state of California to cause cancer.

014808-60-7	Crystalline Silica Quartz
-------------	---------------------------

Chemicals known by the state of CA to cause reproductive toxicity:

This product does not contain any chemicals currently on the California list of known Reproductive Toxins.

TSCA Section 12(b) - Export Notification:

This product contains following chemical that required annual or one time export notification per chemical and per country.

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

068515-47-9 1,2-Benzenedicarboxylic Acid, Di-C11-14 Branched Alkl Ester

CLEAN AIR ACT - Hazardous Air Pollutants (CAA Section 112):

This product contains the following chemicals regulated under Section 112 for National Emission Standards of Hazardous Air Pollutants notification.

001313-13-9 Manganese Dioxide
007439-96-5 Manganese Compound

Pennsylvania Right to Know - Reportable Ingredients:

The following is required composition information. Also, review Section II for additional information for other chemicals.

000137-26-8 Tetramethylthiuram Disulfide
001309-37-1 Red Iron Oxide
001310-73-2 Sodium Hydroxide
001314-13-2 Zinc Oxide
001333-86-4 Carbon Black
001344-28-1 Aluminum Oxide
007439-96-5 Manganese Compound
014808-60-7 Crystalline Silica Quartz

New Jersey Right to Know - Reportable Ingredients:

The following is required composition information. Also, review Section II for additional information for other chemicals.

001309-37-1 Red Iron Oxide
001313-13-9 Manganese Dioxide
001314-13-2 Zinc Oxide
001333-86-4 Carbon Black
001344-28-1 Aluminum Oxide
007439-96-5 Manganese Compound
014808-60-7 Crystalline Silica Quartz

MATERIAL SAFETY DATA SHEET

PRC 449 FM, Part A
FM5553

Effective Date: 01/16/03

SECTION XVI - OTHER INFORMATION

Effective Date: 01/16/03 Supersedes Date: 01/16/2003
Revision Number: 00
Revision Reason: New MSDS

The information in this MSDS was obtained from sources which we believe to be reliable. However, since much of the information has been received from sources outside the company, it is provided without any warranty, expressed or implied, regarding its correctness, or suitability for specific situations. The conditions of handling, storage, use, and disposal of this product are beyond our control and may be beyond our knowledge. The user has the sole responsibility to determine the suitability of the material for any use, and the manner and conditions of use. Therefore, we cannot assume responsibility and expressly disclaim liability for loss, damage, injury, or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials.

End of Document